

References

MyNutriWeb Blog - The gluten free diet as a fast-track approach to a lower fructan intakes in IBS

1. Mari A, Hosadurg D, Martin L, Zarate-Lopez N, Passananti V, Emmanuel A. Adherence with a low-FODMAP diet in irritable bowel syndrome: are eating disorders the missing link? *European Journal of Gastroenterology & Hepatology*. 2019;31(2):178-182. doi:[1097/MEG.0000000000001317](https://doi.org/10.97/MEG.0000000000001317)
2. Tuck CJ, Reed DE, Muir JG, Vanner SJ. Implementation of the low FODMAP diet in functional gastrointestinal symptoms: A real-world experience. *Neurogastroenterology & Motility*. 2020;32(1). doi:[1111/nmo.13730](https://doi.org/10.1111/nmo.13730)
3. Sultan N, Varney JE, Halmos EP, et al. How to Implement the 3-Phase FODMAP Diet Into Gastroenterological Practice. *J Neurogastroenterol Motil*. 2022;28(3):343-356. doi:[5056/jnm22035](https://doi.org/10.5056/jnm22035)
4. Simrén M, Månsson A, Langkilde AM, et al. Food-Related Gastrointestinal Symptoms in the Irritable Bowel Syndrome. *Digestion*. 2001;63(2):108-115. doi:[1159/000051878](https://doi.org/10.1159/000051878)
5. Monsbakken KW, Vandvik PO, Farup PG. Perceived food intolerance in subjects with irritable bowel syndrome – etiology, prevalence and consequences. *Eur J Clin Nutr*. 2006;60(5):667-672. doi:[1038/sj.ejcn.1602367](https://doi.org/10.38/sj.ejcn.1602367)
6. Böhn L, Störsrud S, Törnblom H, Bengtsson U, Simrén M. Self-Reported Food-Related Gastrointestinal Symptoms in IBS Are Common and Associated With More Severe Symptoms and Reduced Quality of Life. *American Journal of Gastroenterology*. 2013;108(5):634-641. doi:[1038/ajg.2013.105](https://doi.org/10.38/ajg.2013.105)
7. Hayes P, Corish C, O'Mahony E, Quigley EMM. A dietary survey of patients with irritable bowel syndrome. *J Human Nutrition Diet*. 2014;27(s2):36-47. doi:[1111/jhn.12114](https://doi.org/10.1111/jhn.12114)
8. Rijnaarts I, Witteman BJM, Zoetendal EG, Govers C, De Wit NJW, De Roos NM. Subtypes and Severity of Irritable Bowel Syndrome Are Not Related to Patients' Self-Reported Dietary Triggers: Results From an Online Survey in Dutch Adults. *Journal of the Academy of Nutrition and Dietetics*. 2021;121(9):1750-1762.e8. doi:[1016/j.jand.2021.01.007](https://doi.org/10.1016/j.jand.2021.01.007)
9. Rej A, Sanders DS, Shaw CC, et al. Efficacy and Acceptability of Dietary Therapies in Non-Constipated Irritable Bowel Syndrome: A Randomized Trial of Traditional Dietary Advice, the Low FODMAP Diet, and the Gluten-Free Diet. *Clinical Gastroenterology and Hepatology*. Published online February 2022:S1542356522002026. doi:[1016/j.cgh.2022.02.045](https://doi.org/10.1016/j.cgh.2022.02.045)
10. Oka P, Parr H, Barberio B, Black CJ, Savarino EV, Ford AC. Global prevalence of irritable bowel syndrome according to Rome III or IV criteria: a systematic review and meta-analysis. *The Lancet Gastroenterology & Hepatology*. 2020;5(10):908-917. doi:[1016/S2468-1253\(20\)30217-X](https://doi.org/10.1016/S2468-1253(20)30217-X)
11. Irritable bowel syndrome in adults: diagnosis and management. 2008 Clinical guideline (CG61). Last accessed 2nd April 2024 at: <https://www.nice.org.uk/guidance/cg61/resources/irritable-bowel-syndrome-in-adults-diagnosis-and-management-pdf-975562917829>
12. McKenzie YA, Bowyer RK, Leach H, et al. British Dietetic Association systematic review and evidence-based practice guidelines for the dietary management of irritable bowel syndrome in adults (2016 update). *J Hum Nutr Diet*. 2016;29(5):549-575. doi:[1111/jhn.12385](https://doi.org/10.1111/jhn.12385)

13. Gibson PR. History of the low FODMAP diet. *J of Gastro and Hepatol*. 2017;32(S1):5-7. doi:[1111/jgh.13685](https://doi.org/10.1111/jgh.13685)
14. Wang XJ, Camilleri M, Vanner S, Tuck C. Review article: biological mechanisms for symptom causation by individual FODMAP subgroups - the case for a more personalised approach to dietary restriction. *Aliment Pharmacol Ther*. 2019;50(5):517-529. doi:[1111/apt.15419](https://doi.org/10.1111/apt.15419)
15. Murray K, Wilkinson-Smith V, Hoad C, et al. Differential Effects of FODMAPs (Fermentable Oligo-, Di-, Mono-Saccharides and Polyols) on Small and Large Intestinal Contents in Healthy Subjects Shown by MRI. *American Journal of Gastroenterology*. 2014;109(1):110-119. doi:[1038/ajg.2013.386](https://doi.org/10.1038/ajg.2013.386)
16. Major G, Pritchard S, Murray K, et al. Colon Hypersensitivity to Distension, Rather Than Excessive Gas Production, Produces Carbohydrate-Related Symptoms in Individuals With Irritable Bowel Syndrome. *Gastroenterology*. 2017;152(1):124-133.e2. doi:[1053/j.gastro.2016.09.062](https://doi.org/10.533/j.gastro.2016.09.062)
17. Staudacher HM, Whelan K, Irving PM, Lomer MCE. Comparison of symptom response following advice for a diet low in fermentable carbohydrates (FODMAPs) versus standard dietary advice in patients with irritable bowel syndrome: IBS symptom response to a low FODMAP diet. *Journal of Human Nutrition and Dietetics*. 2011;24(5):487-495. doi:[1111/j.1365-277X.2011.01162.x](https://doi.org/10.1111/j.1365-277X.2011.01162.x)
18. Eswaran SL, Chey WD, Han-Markey T, Ball S, Jackson K. A Randomized Controlled Trial Comparing the Low FODMAP Diet vs. Modified NICE Guidelines in US Adults with IBS-D. *American Journal of Gastroenterology*. 2016;111(12):1824-1832. doi:[1038/ajg.2016.434](https://doi.org/10.1038/ajg.2016.434)
19. Goyal O, Batta S, Nohria S, et al. Low fermentable oligosaccharide, disaccharide, monosaccharide, and polyol diet in patients with diarrhea-predominant irritable bowel syndrome: A prospective, randomized trial. *Journal of Gastroenterology and Hepatology*. 2021;36(8):2107-2115. doi:[1111/jgh.15410](https://doi.org/10.1111/jgh.15410)
20. Zhang Y, Feng L, Wang X, et al. Low fermentable oligosaccharides, disaccharides, monosaccharides, and polyols diet compared with traditional dietary advice for diarrhea-predominant irritable bowel syndrome: a parallel-group, randomized controlled trial with analysis of clinical and microbiological factors associated with patient outcomes. *The American Journal of Clinical Nutrition*. 2021;113(6):1531-1545. doi:[1093/ajcn/nqab005](https://doi.org/10.1093/ajcn/nqab005)
21. Whelan K, Martin LD, Staudacher HM, Lomer MCE. The low FODMAP diet in the management of irritable bowel syndrome: an evidence-based review of FODMAP restriction, reintroduction and personalisation in clinical practice. *J Hum Nutr Diet*. 2018;31(2):239-255. doi:[1111/jhn.12530](https://doi.org/10.1111/jhn.12530)
22. Rej A, Buckle RL, Shaw CC, et al. National survey evaluating the provision of gastroenterology dietetic services in England. *Frontline Gastroenterol*. 2020;12(5):380-384. doi:[1136/flgastro-2020-101493](https://doi.org/10.1136/flgastro-2020-101493)
23. Singh P, Tuck C, Gibson PR, Chey WD. The Role of Food in the Treatment of Bowel Disorders: Focus on Irritable Bowel Syndrome and Functional Constipation. *Am J Gastroenterol*. 2022;117(6):947-957. doi:[14309/ajg.0000000000001767](https://doi.org/10.14309/ajg.0000000000001767)
24. Melchior C, Desprez C, Riachi G, et al. Anxiety and Depression Profile Is Associated With Eating Disorders in Patients With Irritable Bowel Syndrome. *Front Psychiatry*. 2020;10:928. doi:[3389/fpsy.2019.00928](https://doi.org/10.3389/fpsy.2019.00928)

25. Sultan N, Foyster M, Tonkovic M, et al. Presence and characteristics of disordered eating and orthorexia in irritable bowel syndrome. *Neurogastroenterology Motil.* Published online April 12, 2024:e14797. doi:[1111/nmo.14797](https://doi.org/1111/nmo.14797)
26. Algera, Colomier, Simrén. The Dietary Management of Patients with Irritable Bowel Syndrome: A Narrative Review of the Existing and Emerging Evidence. *Nutrients.* 2019;11(9):2162. doi:[3390/nu11092162](https://doi.org/3390/nu11092162)
27. Biesiekierski JR, Rosella O, Rose R, et al. Quantification of fructans, galactooligosaccharides and other short-chain carbohydrates in processed grains and cereals: Short-chain carbohydrates in grains and cereals. *Journal of Human Nutrition and Dietetics.* 2011;24(2):154-176. doi:[1111/j.1365-277X.2010.01139.x](https://doi.org/1111/j.1365-277X.2010.01139.x)
28. Muir JG, Shepherd SJ, Rosella O, Rose R, Barrett JS, Gibson PR. Fructan and Free Fructose Content of Common Australian Vegetables and Fruit. *J Agric Food Chem.* 2007;55(16):6619-6627. doi:[1021/jf070623x](https://doi.org/1021/jf070623x)
29. Roberfroid M, Gibson GR, Hoyles L, et al. Prebiotic effects: metabolic and health benefits. *Br J Nutr.* 2010;104(S2):S1-S63. doi:[1017/S0007114510003363](https://doi.org/1017/S0007114510003363)
30. Ojwach J, Adetunji AI, Mutanda T, Mukaratirwa S. Oligosaccharides production from coprophilous fungi: An emerging functional food with potential health-promoting properties. *Biotechnology Reports.* 2022;33:e00702. doi:[1016/j.btre.2022.e00702](https://doi.org/1016/j.btre.2022.e00702)
31. Hughes RL, Alvarado DA, Swanson KS, Holscher HD. The Prebiotic Potential of Inulin-Type Fructans: A Systematic Review. *Advances in Nutrition.* 2022;13(2):492-529. doi:[1093/advances/nmab119](https://doi.org/1093/advances/nmab119)
32. Gibson GR, Probert HM, Loo JV, Rastall RA, Roberfroid MB. Dietary modulation of the human colonic microbiota: updating the concept of prebiotics. *Nutr Res Rev.* 2004;17(2):259-275. doi:[1079/NRR200479](https://doi.org/1079/NRR200479)
33. Gibson PR, Shepherd SJ. Evidence-based dietary management of functional gastrointestinal symptoms: The FODMAP approach. *J of Gastro and Hepatol.* 2010;25(2):252-258. doi:[1111/j.1440-1746.2009.06149.x](https://doi.org/1111/j.1440-1746.2009.06149.x)
34. Shepherd SJ, Gibson PR. Fructose Malabsorption and Symptoms of Irritable Bowel Syndrome: Guidelines for Effective Dietary Management. *Journal of the American Dietetic Association.* 2006;106(10):1631-1639. doi:[1016/j.jada.2006.07.010](https://doi.org/1016/j.jada.2006.07.010)
35. Shepherd S, Parker F, Muir J, Gibson P. Dietary Triggers of Abdominal Symptoms in Patients With Irritable Bowel Syndrome: Randomized Placebo-Controlled Evidence. *Clinical Gastroenterology and Hepatology.* 2008;6(7):765-771. doi:[1016/j.cgh.2008.02.058](https://doi.org/1016/j.cgh.2008.02.058)
36. Bertin L, Zanconato M, Crepaldi M, et al. The Role of the FODMAP Diet in IBS. *Nutrients.* 2024;16(3):370. doi:[3390/nu16030370](https://doi.org/3390/nu16030370)
37. Dimidi E, Belogianni K, Whelan K, Lomer MCE. Gut Symptoms during FODMAP Restriction and Symptom Response to Food Challenges during FODMAP Reintroduction: A Real-World Evaluation in 21,462 Participants Using a Mobile Application. *Nutrients.* 2023;15(12):2683. doi:[3390/nu15122683](https://doi.org/3390/nu15122683)
38. Van Den Houte K, Colomier E, Routhiaux K, et al. Efficacy and findings of a blinded randomized reintroduction phase for the low FODMAP diet in Irritable Bowel Syndrome. *Gastroenterology.* Published online February 2024:S0016508524001707. doi:[1053/j.gastro.2024.02.008](https://doi.org/1053/j.gastro.2024.02.008)

39. Dunn S, Datta A, Kallis S, Law E, Myers CE, Whelan K. Validation of a food frequency questionnaire to measure intakes of inulin and oligofructose. *Eur J Clin Nutr*. 2011;65(3):402-408. doi:[1038/ejcn.2010.272](https://doi.org/10.388/ejcn.2010.272)
40. Whelan K, Abrahamsohn O, David GJP, et al. Fructan content of commonly consumed wheat, rye and gluten-free breads. *International Journal of Food Sciences and Nutrition*. 2011;62(5):498-503. doi:[3109/09637486.2011.553588](https://doi.org/3109/09637486.2011.553588)
41. Wang M, Cheong KL. Preparation, Structural Characterisation, and Bioactivities of Fructans: A Review. *Molecules*. 2023;28(4):1613. doi:[3390/molecules28041613](https://doi.org/3390/molecules28041613)
42. Varney J, Barrett J, Scarlata K, Catsos P, Gibson PR, Muir JG. FODMAPs: food composition, defining cutoff values and international application: Defining and adapting the low-FODMAP diet. *Journal of Gastroenterology and Hepatology*. 2017;32:53-61. doi:[1111/jgh.13698](https://doi.org/1111/jgh.13698)
43. Rej A, Shaw CC, Buckle RL, et al. The low FODMAP diet for IBS; A multicentre UK study assessing long term follow up. *Digestive and Liver Disease*. 2021;53(11):1404-1411. doi:[1016/j.dld.2021.05.004](https://doi.org/1016/j.dld.2021.05.004)
44. Rej A, Sanders D, Buckle R, Trott N, Aziz I, Shaw C. What is the optimal FODMAP threshold in IBS? *J of Gastro and Hepatol*. 2021;36(6):1723-1725. doi:[1111/jgh.15470](https://doi.org/1111/jgh.15470)
45. Harvie RM, Chisholm AW, Bisanz JE, et al. Long-term irritable bowel syndrome symptom control with reintroduction of selected FODMAPs. *WJG*. 2017;23(25):4632. doi:[3748/wjg.v23.i25.4632](https://doi.org/3748/wjg.v23.i25.4632)
46. O'Keefe M, Jansen C, Martin L, et al. Long-term impact of the low-FODMAP diet on gastrointestinal symptoms, dietary intake, patient acceptability, and healthcare utilization in irritable bowel syndrome. *Neurogastroenterol Motil*. 2018;30(1):e13154. doi:[1111/nmo.13154](https://doi.org/1111/nmo.13154)
47. Halmos EP, Gibson PR. Controversies and reality of the FODMAP diet for patients with irritable bowel syndrome. *Journal of Gastroenterology and Hepatology*. 2019;34(7):1134-1142. doi:[1111/jgh.14650](https://doi.org/1111/jgh.14650)
48. Rej A, Avery A, Aziz I, et al. Diet and irritable bowel syndrome: an update from a UK consensus meeting. *BMC Med*. 2022;20(1):287. doi:[1186/s12916-022-02496-w](https://doi.org/1186/s12916-022-02496-w)
49. Rej A, Sanders D. Gluten-Free Diet and Its 'Cousins' in Irritable Bowel Syndrome. *Nutrients*. 2018;10(11):1727. doi:[3390/nu10111727](https://doi.org/3390/nu10111727)